

Ø nominal mm	Ø nominal inch	Ø i.d. mm	Ø o.d. mm	working pressure at 23 °C bar	working press. at 40 °C bar	working press. at 60 °C bar	bursting press. at 23 °C bar	bending radius mm	total thickness mm	weight meter g/m	# wires for angle n° x a°	coil length m	Availability
6	1/4	6	10	20	17	15	60	20	2	65	24x52°	100	In stock
8	5/16	8	12	20	17	15	60	22	2	85	18x52°	60	In stock
10	3/8	10	15	20	17	15	60	38	2.5	130	24x52°	50	In stock
13	1/2	13	19	20	17	15	60	65	3	195	24x54°	30	In stock
16	5/8	16	22.5	20	17	15	60	60	3.2	250	24x54°	25	In stock

All technical specifications apply to a temperature of 23° C ± 2° C (ISO 291)

The tolerance on all specifications ±5% (Tolerance Percentage is applicable on ALL DATA across our range)